INDEX TO VOLUME L.

[New generic, specific and subspecific names are printed in heavy face type.]

Acanthis cannabina, 180. hornemanni exilipes, 365. linaria linaria, 198, 365.

Accipiter superciliosus superciliosus, 323.

Adams, I. C., Jr., late nesting of the Yellow-billed Cuckoo in Missouri, 107.

Aedon familiaris, 182. galactodes, 182.

Aenigmatolimnas, 249.

Africa, birds of, 23, 237, 248, 433.

Agelaius phoeniceus phoeniceus, 372.

thilius alticola, 142.

Aimophila aestavilis, 365. aestivalis bachmani, 198. carpalis bangsi, 249. cassini, 62.

Ajaia ajaja, 429.

Alabama, birds of, 105, 113, 209, 234, 359, 368.

Alaska, birds of, 97, 378.

'Alauda,' reviewed, 256, 463.

Alauda cristata, 180.

Albatross, Yellow-nosed, 201.

Alberta, birds of, 249.

Alca torda, 231.

Alcippe, 364. cinerea, 364.

Alcippiornis, 264.

Alexander, W. B., notice of his recent papers, 458.

Alle alle, 105, 196, 230, 325-349.

Allen, Devere, Pine Grosbeak nesting in Connecticut, 442.

Allen, Francis H., Forster's Tern in Massachusetts again, 104; treatment of hybrids, 151; see also Townsend, Charles W. Allen, Robert P., breeding range of the Herring Gull extended, 433.

Almirante, birds of, 300.

American Ornithologists' Union, Fiftieth Stated Meeting; 64–79; fifty-first meeting, 262, 467; report of the secretary, 80–84; report of committee on biography and bibliography, 84–86; report of committee on bird protection, 87–90.

A. O. U. Check-List, corrections to the, 201-204.

Ammodramus savannarum australis, 373.

Ammomanes deserti, 180.

Ammospiza caudacuta nelsoni, 198. maritima maritima, 122. maritima subsp., 62.

Anas madagascariensis, 149. punctata delacouri, 149. rubripes rubripes, 61, 199, 367.

Anderson, Anders H., a suggestion for a scientific method of studying bird sounds, 453.

Anhinga, 427.

anhinga, 61.

Ani, Groove-billed, 124. Anser albifrons albifrons, 193, 202.

anser, 208. fabalis, 202.

Anthus spinoletta rubescens, 124.

Antrostomus carolinensis, 107, 362, 368.

vociferus vociferus, 436.

Aphanotriccus audax, 305.

'Aquila,' reviewed, 150.

Aquila, 378.

chrysaetos, 185.

chrysaetos canadensis, 194, 431. heliaca, 185. Aramidopsis, plateni, 247.

Aramus pictus pictus, 370.

Arborophila rufipectus, 248.

Archilochus colubris, 369.

'Archives Suisses d'Ornithologie,' noticed, 258.

'Ardea,' reviewed, 259, 464.

Ardea cinerea cinerea, 201.

herodias herodias, 427. würdemanni, 370.

Arenaria interpres interpres, 203. i. morinella, 99, 231, 367, 444.

Arizona, birds of, 124.

Arkansas, birds of, 206, 362, 436.

Asio flammeus, 184.

f. flammeus, 436.

f. ponapensis, 380.

wilsonianus, 105, 436. Astur atricapillus atricapillus, 194.

Athene glaux, 184.

Atkins, John Wiley, obituary of, 153.

Auk, Great, 204.

Razor-billed, 231.

'Auk, The' financial condition of, 156, 363, 384; Allen volumes of, 156.

Austin, O. L., Jr., review of his 'Birds of Labrador,' 127.

Australia, birds of, 385-395.

Automolus xantippe, 139.

'Avicultural Magazine,' reviewed, 147, 255, 462.

'Aviculture,' reviewed, 145, 253. Avocet, 100, 195.

Bagg, Aaron C., and Elliot, Samuel A., Jr., courtship of the Hooded Merganser, 430; notes from the Connecticut valley in Massachusetts, 445.

Bailey, Alfred M., the Baikal Teal from King Island, Alaska, 97.

Bailey, A. M., Brower, C. D., and Bishop, L. B., notice of their 'Birds of the Point Barrow Region,' 378.

Bailey, A. M. and Dickinson, F. R., notice of their 'Through the Lens,' 138; of their 'Camera Hunting in the Haunts of the Golden Eagle,' 378; of their The 'Avo-chick,' 379.

Bailey, A. M., and Niedrach, R. J., notice of their 'The Domain of the Camp Robber,' 138; of their 'The Mountain Plover,' 248.

Baker, E. C. Stuart, review of his 'Nidification of Birds of the Indian Empire,' 241, 456.

Baker, William C., Brewster's Warbler in Blue-wing plumage, 116.

Baldwin, S. Prentiss and Kendeigh, S. C., review of their 'Physiology of the Temperature of Birds,' 129.

Baldwin Bird Research Laboratory, work of the, 264.

Ball, W. Howard, notice of his 'Some Notes on Rare Birds of the Washington Region,' 138.

Bangs, Outram: biography of, 265–274; notice of his 'Birds of Western China Obtained by the Kelley-Roosevelts Expedition,' 138.

Bangs, Outram and Griscom, Ludlow, notice of their 'New or Little Known Birds from Costa Rica,' 248.

Bangs, Outram and Loverage, Arthur, notice of their 'Results of a Scientific Expedition to S. W. Tanganyika,' 248.

Bartramia longicauda, 228, 450.

Bassett, Mrs. V. H., Anhinga nesting in Georgia, 427.

Bathornis veredus, 213.

Beatty, M. E., Presnall, C. C., and Harwell, C. A., notice of their 'Birds of the Yosemite National Park,' 379.

'Beiträge zur Fortpflanzungsbiolo-

gie der Vögel,' reviewed, 149, 257, 464.

Beveridge, George, notice of his 'Changes in the Distribution of British Wild Geese,' 138.

Biological Society of Washington, publications of, 157.

Bird, Aldine R., notice of his 'The Ivory-bill is Still King,' 248.

Bird-banding, 91, 250.

'Bird-Banding,' reviewed, 144, 252, 461.

'Bird-Lore,' reviewed, 143, 250, 381, 460.

'Bird Notes and News,' reviewed, 147.

Birds of prey, 378.

Bishop, H. O., notice of his 'The Wild Pigeon,' 138.

Bishop, L. B., see Bailey, A. M.

Black, J. D., Snowy Egret in Arkansas 206; Long and Shorteared Owls in northwestern Arkansas, 436.

Blackbird, Brewer's, 442.

European, 381.

Red-winged, 372, 452.

Rusty, 452.

Yellow-headed, 192, 198, 370, 446.

Blincoe, Benedict J., Chuck-will's-widow again in Ohio, 362.

Bluebird, Eastern, 109, 452.

Bobolink, 119, 450.

Bob-white, 97, 249.

Texas, 199.

Boggs, Marion A., rare birds in the North Carolina mountains, 233.

Bombycilla garrula pallidiceps, 227. Bond, Frank, review of his 'My Bird Boarders,' 378.

Beoby, Blue-faced, 92.

Boulton, Rudyerd, notice of his 'New Tree Partridge from Szechwan,' 248; review of his 'Traveling with the Birds,' 455. Bowen, W. Wedgwood, see Friedmann, Herbert.

Brand, Albert R., notice of his 'Hunting with a Sound Camera,' 457.

Brant, 209.

American, 201, 209, 230.

Branta bernicla hrota, 201, 209, 230.

canadensis hutchinsi, 61.

minima, 61.

leucopsis, 202.

Brazil, birds of, 323.

'British Birds,' reviewed, 137, 255, 383, 462.

British Columbia, birds of, 205.

British Honduras, birds of, 250.

British Ornithologists' Club, 'Bulletin,' reviewed, 146, 254, 383, 462.

Brodkorb, Pierce, notice of his 'Remarks on the Genus Limnodromus,' 459; see also, Stevenson, James,

Brooks, A. B., West Virginia breeding record for the Sawwhet Owl, 361.

Brooks, Allan, some notes on the birds of Brownsville, Texas, 59-63; notice of his 'Notes on a Short Trip to Nova Scotia and New Brunswick,' 379; of his paintings of 'Crows, Magpies and Jays,' 245; of his paintings of the 'Hawks, Eagles and Vultures,' 457.

Brooks, Maurice, American Egret in Lewis County, W. Va., 94; Lark Sparrow breeding in West Virginia, 121; peculiar behavior of hawks with flocks of Starlings, 211; Cape May Warblers destructive to grapes, 222; apparent range extension of the Eastern Savannah Sparrow, 443. Brooks, W. Sprague, Eastern Robin laying white eggs, 221.

Brower, C. D., see Bailey, A. M.

Bryant, H. C., report of the committee on bird protection of the A. O. U., 87-90.

Buarremon phaeopleurus exortus, 142.

Bubo virginianus virginianus, 372.

Buckalew, Herbert, American Egret nesting in Delaware, 206.

Buffle-head, 202, 445.

Bulbul, Palestine, 183.

Bunting, Eastern Snow, 227.

Indigo, 370. Lark, 198.

Meadow, 181.

Painted, 234.

Snow, 245.

Burleigh, Thomas D., the Song Sparrow now a breeding bird in South Carolina, 226.

Burton, E. M., and Chamberlain, E. B., Laughing Gull breeding on the South Carolina coast, 360.

Bush-Tit, Lead-colored, 221.

Bustard, Houbara, 185.

Buswell, W. M., notice of his 'The Song of the Shrike,' 138.

Buteo, 212.

albicaudatus hypospodius, 61. borealis borealis, 356.

conterminus, 212.

contortus, 212.

dananus, 212.

ferox, 185.

fragilis, 212.

grinnelli, 212.

lineatus texanus, 61.

melanoleucus, 212.

platypterus, 233.

p. platypterus, 356.

typhoius, 212.

Buteogallus subtilis, 303.

Butorides virescens virescens, 61.

Buzzard, Long-legged, 185.

Buzzard, Long-legged, Honey, 185. Turkey, 30-34.

CACCABIS chukar, 185.

Cactornis inornata, 15.

Calamospiza melanocorys, 198.

Calcarius lapponicus lapponicus, 124, 226.

ornatus, 123.

pictus, 371.

Calidris canutus rufus, 299, 444.

Campbell, John A., American Redstart breeding in northern Louisiana, 441.

Campbell, Louis W., nesting of the Mourning Warbler, near Toledo, Ohio, 117.

Canada, birds of, 108, 250, 432.

Canal Zone, birds of, 125.

Cardinal, Eastern, 452.

'Cardinal, The,' reviewed, 252, 461.

Carduelis carduelis, 366, 445.

elegans, 181.

Cariama, 214.

Carpodacus purpureus purpureus,

Casmerodius albus egretta, 94, 206, 368, 370, 445.

Catbird, 232, 451, 452.

Cathartes aura septentrionalis, 229, 431.

Catoptrophorus semipalmatus inornatus, 102.

s. subsp. ?, 358.

Cayley, Neville W., review of his 'Australian Finches in Bush and Aviary,' 132.

Celebes, birds of, 247.

Centropus grillii, 219.

monachus, 219.

senegalensis, 219.

superciliosus, 220.

toulou toulou, 219.

Centurus sancticruzi pauper, 437. Ceophloeus lineatus similis, 437. pileatus abieticola, 199.

Cepphus grylle grylle, 204. Cerchneis tinnunculus, 185. Chaetura pelagica, 369.

Chaffinch, 181.

Chalybura urochrysa isaurae, 301.
Chamberlain, E. B., Bridled Tern in South Carolina, 104; Eastern Red-tailed Hawk breeding on the South Carolina coast, 356.

Chapin, James P., Little Gull again in upper New York Bay, 434; notice of his 'Fourteen New Birds from Tropical Africa,' 139; review of his 'Birds of the Belgian Congo,' 237.

Chapman, Floyd B., see Hicks, L. E.

Chapman, Frank M., the migration of turkey buzzards as observed on Barro Colorado Island, Canal Zone, 30-34; notice of his 'From a Tropical Air Castle,' 139; obituary of Frederick J. Dixon, 153; announcement of his 'Autobiography, 468.

Charadrius dubius curonicus, 203. hiaticula hiaticula, 203. melodus, 215, 444, 448. nivosus tenuirostris, 234. semipalmatus, 301, 448.

Charitonetta albeola, 202. Chaulelasmus streperus, 202.

Chen caerulescens, 193, 209, 353, 372, 450.

hyperborea atlantica, 352. h. hyperborea, 193.

Chickadee, Black-capped, 374. European, 246.

Long-tailed, 111.

Chiffchaff, 182.China, birds of, 138, 142, 244, 248, 378, 379.

Chisholm, A. H., the Cuckoo problem in Australia, 385–395.

Chlidonias leucoptera, 204. nigra surinamensis, 105, 300. Chloroceryle aenea aenea, 323. amazona, 437. americana isthmica, 437.

inda, 300.

Chlorospingus ophthalmicus honduratius, 146. o. schistaceiceps, 146.

Christy, Bayard H., bird actions during eclipse of the sun, 125; Topsell's 'Fowles of Heauen,' 275-283.

Chuck-will's-widow, 107, 362, 368. Ciccaba, 139.

albogularis, 139. hylophila, 435.

Cichlocolaptes leucophrys, 323.

Cichlornis whitneyi, 380.

Ciconia alba, 186. ciconia, 247. nigra, 247.

Circaetus, 378.

Cistothorus stellaris, 235, 372.

Clangula hyemalis, 202.

Claravis mondetoura umbrina, 300. Clark, Edith M., singing of the

Red-breasted Nuthatch, 112. Clarke, Carter W., notice of his 'Night-flying Homers of the Signal Corps,' 459.

Clytorhynchus, 380.

Coccyzus erythropthalmus, 448.

Cocornis agassizi, 15.

Coker, Coit M., Eastern Henslow's Sparrow in North Carolina in summer, 225.

Colaptes auratus × cafer, 362. mexicanus mexicanoides, 437

Cole, L. J., the relation of light periodicity to the reproductive cycle, migration and distribution of the Mourning Dove, 284–296.

Colinus nigrogularis coffini, 141. virginianus texanus, 199.

v. virginianus, 97.

Coloeus monedula, 183.

Colorado, birds of, 377.

Columba schimperi, 185.

Columbigallina passerina passerina, 197, 369.

Colymbus auritus, 201.

dominicus brachypterus, 60. grisegena holboelli, 201, 445.

Common, Minna Anthony Common, a late nesting hummingbird, 408-413.

Compsothlypis americana pusilla, 199.

'Condor, The,' reviewed, 144, 251, 382, 460.

Conirostrum cyanonotum, 142.

Connecticut, birds of, 99, 105, 328, 442, 444.

Conopophaga castaneiceps subtorridus, 142.

Conover, H. B., notice of his 'The Races of the Tinamou, Crypturellus cinnamomeus,' 459.

Cooke, May Thacher, speed of bird flight, 309.

Coot, American, 369. European, 203.

Coragys atratus atratus, 194.

Cormorant, Double-crested, 230, 234, 434, 444.

Florida, 61.

Corvinella corvina, 459.

c. caliginosa, 459. c. chapini, 459.

Corvus agricola, 183.

brachyrhynchos paulus, 199. corax principalis, 447.

cornix, 183.

cryptoleucus, 62.

frugilegus frugilegus, 204.

ossifragus, 445.

Coryphotriceus albovittatus, 305. Costa Rica, birds of, 248, 298.

Cotile riparia, 182.

rupestris, 182.

Cottam, Clarence, winter records for the coastal region of North Carolina, 231; the Blue Goose in North Carolina, 353; spring migration of the Great Blue Heron, 427.

Cottam, Clarence and Knappen, Phoebe, oil gland usually tufted in Hydranassa tricolor ruficollis, 94.

Cottam, Clarence, and Kelso, Leon, an incubating Woodcock, 170– 173.

Coturnicops noveboracensis, 446.

Coucal, Madagascar, 219.

Cowbird, 120.

Craig, Wallace, the music of the Wood Pewee's song and one of its laws, 174-178.

Crane, Sandhill, 191.

Creciscus, 142.

Crocethia alba, 203, 231, 299.

Crossbill, Newfoundland, 198. White-winged, 192, 198.

Crotophaga ani, 300.

sulcirostris, 124. Crow, American, 249.

Ta: 1 445 450

Fish, 445, 452. Hooded, 183.

Southern, 199.

Crows, 245.

Cryptoglaux acadica, 227. a. acadica, 361, 368.

Crypturellus cinnamomeus, 459.

c. vicinior, 459.

Cuba, birds of, 218, 333.

Cuckoo, Black-billed, 448. European, 183.

Yellow-billed, 107, 452.

Cuckoos, Australian, 385-395.

Cuculus canorus, 183.

Curl, A. Laurence, unusual behaviour of female Summer Tanager, 442.

Curlew, Eskimo, 101, 214.

Hudsonian, 234, 372.

Long-billed, 215.

Curry, Haskell B., Louisiana Heron in Centre Co., Pennsylvania, 428. Curtler, Martin, the Lark Sparrow in Virginia, 366.

Cygnus columbianus, 92, 371, 449. cygnus, 201.

Cyphorinus lawrencei infuscatus, 250.

Cypselus apus, 184. melba, 184.

DACTYLORTYX thoracicus taylori, 143.

Dafila acuta tzitzihoa, 353.

'Danske Fugle,' reviewed, 259.

Darien, birds of, 301.

Davidson, M. E. McLellan, notice of her 'New Birds from Chiriqui Provence Panama,' 139.

Deconychura longicauda darienensis, 304.

Deignan, H. G., notes on some Canal Zone birds, 125; the Jabiru in western Guatemala, 429.

Delacour, J., notice of his 'Directions for Keeping and Breeding Birds,' 248; of his check-list of the birds of Russia, 264.

Delaware, birds of, 206, 331.

Delaware Valley Ornithological Club, annual meeting of, 264.

Dendrocygna viduata, 298.

Dendroica adelaidae, 8.

caerulescens cairnsi, 200.

cerulea, 450.

coronata, 117.

discolor, 233.

dominica albilora, 197.

d. dominica, 370.

fusca, 450.

magnolia, 117, 451.

palmarum hypochrysea, 232.

p. palmarum, 198, 364.

pensylvanica, 229.

pinus pinus, 117, 372.

tigrina, 233.

virens, 124.

Dendroica v. virens, 369. v. wavnei, 200.

'Der Vogelzug,' reviewed, 257, 463.

Dery, D. A., notice of his 'Migration of the Northern Sharp-tailed Grouse,' 250.

Dickinson, F. R., see Bailey, A. M. Dingle, E. von S., Wilson's Warbler on the coast of South Carolina, 223.

Dixon, Frederick J., obituary of, 153.

Dixon, Joseph S., notice of his 'The Falcons of the Great Smokeys,' 379; see also, Wright, G. M.

Dole, E. J., see Fortner, H. C.

Dolichonyx oryzivorus, 450.

Dominican Republic, birds of, 450. Dotterel, 203.

Dove, Damara, 293.

Eastern Ground, 197.

Eastern Mourning, 218, 284-296.

Ground, 369.

Mourning, 452.

Palm, 293.

Western Mourning, 218.

Dovekie, 105, 157, 196, 230, 325-349.

Dowitcher, 152, 367, 444.

Long-billed, 195.

Dryobates pubescens pubescens, 199.

villosus auduboni, 199.

v. sanctorum, 437.

Duck, Black, 452.

Lesser Scaup, 367. Northern Eider, 245.

Pintail, 353.

Red-legged Black, 61, 199, 367.

Ruddy, 372.

Tufted, 202.

Ducks, reduction in numbers of,

Dumetella crolinensis, 232, 301, 451.

DuMont, Philip A., Old specimen of the Blue-faced Booby from Texas, 92; the Atlantic Kittiwake taken in central Iowa, 102; an old specimen of hybrid Flicker from Arkansas, 362; Pedioecetes phasianellus kennicotti revived, 432.

Dunlin, 203.

Dymond, John, Jr., obituary of, 260.

Dysithamnus puncticeps puncticeps 300.

EAGLE, Bald, 35-53, 457 Golden, 185, 192, 194, 355, 431,

> 457. Gray Sea, 202.

Imperial, 185. Eagles, 137.

East, Ben, notice of his 'The Homes of Birds,' 379.

Edithornis silvestris, 380.

Edwards, Helen M., Bridled Tern, a new bird for Alabama, 105; Willow Thrush, a new bird for Alabama, 113; notes from Baldwin County, Alabama, 234, 368; Golden Plover, a new species for Alabama, 359.

Egret, American, 94, 206, 350, 368, 370, 445.

Snowy, 206.

Egretta brevipes, 206. thula thula, 206.

Eider, American, 93, 193.

King, 368. Northern, 245. Steller's, 202.

Eifrig, C. W. G., an albino Shorteared Owl, 436; color of the iris of Brewer's Blackbird, 442.

Elanoides forficatus forficatus, 194, 234.

Eliot, S. A., Jr., Wilson's Petrel banded at sea, 91; Snow Goose

at Northampton, Mass., 96; Acadian and Nelson's Sparrows in the Connecticut Valley, 122; Turkey Vulture at Ludlow, Mass., 212; Western Palm Warbler in Massachusetts in spring, 364; European Goldfinch in western Massachusetts, 366; migration of Brunnich's Murre along shore, 435; notes from the coast of Connecticut, 444; see also, Bagg, Aaron C.,

Elliott, Paul R., notice of his 'Temperature and Relative Humidity in Relation to the Ending of the Evening Song of Birds,' 379.

Emberiza emberiza, 181.

Empidonax albigularis australis, 300.

minimus, 233.

'Emu, The,' reviewed, 147, 256, 383, 463.

England, birds of, 241.

Erismatura jamaicensis rubida, 372. Erithaca rubecula, 181.

Erolia testacea, 446.

Esten, Sidney R., notes on the Prairie Chicken in Indiana, 356. Eudronias morinellus, 203.

Euphagus cyanocephalus, 442.

Euphonia sclateri, 8.

Evermann, Barton W., obituary of, 465.

Falco aesalon aesalon, 203.

columbarius bendirei, 356.

c. columbarius, 233, 369, 447. fusco-caerulescens septentrion-

alis, 61.

peregrinus anatum, 372, 447. p. peregrinus, 203.

rusticolus candicans, 97, 202.

r. obsoletus, 212. sparverius sparverius, 203.

tinnunculus archeri, 148.

Falcon, Aplomado, 61. Peregrine, 203.

Fargo, William G., notice of his Red-breasted Mergansers on Tampa Bay, 139.

Feather pattern, 251.

Feather structure, 380.

Finch, Eastern Purple, 370.

Flamingo, 207, 460.

Fleetwood, Raymond J., Harris' Sparrow in Elkhart Co., Indiana, 225.

Flicker, Guatemalan, 437. hybrid, 362.

Northern, 452.

'Flicker, The,' reviewed, 145, 253. Flight, 374.

speed of, 92, 236, 309.

Florida caerulea, 232. c. caerulea, 369.

Florida, birds of, 100, 207, 215, 225, 332, 370, 429, 460.

Flycatcher, Least, 233. Scissor-tailed, 373.

Food, 373, 377.

Formicarius rufipectus rufipectus, 300.

Fortner, H. C., Smith, W. P. and Dole, E. J., review of their 'A List of Vermont Birds,' 456.

Foster, Frank B., Common Terns near Phoenixville, Pa., 359.

France, birds of, 242.

Franz-Joseph Land, birds of, 245.

Fraser, M. Abbott, 54-58.

Fratercula arctica arctica, 204.

Freer, Ruskin R., Bachman's Sparrow in the Virginia Blue Ridge, 365; Yellow-bellied Sapsucker breeding in the Virginia Blue Ridge, 437; nesting of the Prairie Horned Lark, in central Virginia, 437; summer records for the Virginia Piedmont, 448.

Friedmann, Herbert, notice of his 'Notes on the Abyssinian Red-

capped Lark 139; of his 'Supposed Visual Function of the Nictitating Membrane of the Pigeon,' 139; of his 'Birds from Greater Namaqualand,' 248; reviews by,—Groebbel's 'Der Vogel,' 246; Siewert's 'Storche,' 247; Heinrich's 'Der Vogel Schnarch,' 247.

Friedmann, H. and Bowen, W. Wedgwood, notice of their 'Geographic Variation in the Yellowbilled Shrike,' 459.

Fringilla coelebs, 181.

Fuertes, L. A., and Brooks, Allan, notice of their 'Portraits of New England Birds,' 128.

Fulica americana americana, 369. atra atra, 203.

Fulmar, Atlantic, 201.

Fulmarus glacialis glacialis, 201.

Gabrielson, Ira N., an Oregon record of the Red-legged Kittiwake, 216; see also, Jewett, Stanley G.

Gadwall, 202.

Galbula rufoviridis heterogyna, 142. Gallinula kioloides, 249.

Gallinule, Purple, 99, 450.

Game Management, 468.

Ganier, A. F., notice of his 'Distributional List of the Birds of Tennessee,' 379; and 'Water Birds of Reelfoot Lake,' 379.

Gannet, 201, 205, 231, 367.

Gardner, C. B., English Sparrow apparently feeding on larvae of hornets, 223.

Gavia adamsi, 201.

immer immer, 201. stellata, 230.

Gelochelidon nilotica aranea, 215,

Georgia, birds of, 102, 103, 106, 227, 332, 427.

Geothlypis trichas, subsp., 232.

t. brachidactyla, 118, 120, 200, 238.

t. ignota, 200.

t. insperata, 250.

Geranoaetus, 212.

melanoleucus, 212.

'Gerfaut, Le,' reviewed, 148, 258, 464.

Gillespie, John A., Duck Hawk bathing and drinking, 98; song of the Gray-cheeked Thrush, 114.

Gillespie, Mabel B., and John A., a Gannet in Delaware Co., Pa., 205.

Glaucionetta islandica, 193, 202.

Gnatcatcher, Blue-gray, 369.

Godwit, Black-tailed, 203.

Hudsonian, 446.

Marbled, 446. Golden-eye, Barrow's, 202.

Goldfinch, 236.

Eastern, 249.

European, 366, 445.

Goose, Barnacle, 202.

Bean, 202.

Blue, 193, 209, 353, 372, 450.

Canada, 61.

Gray Lag, 208.

Greater Snow, 96, 352.

Hutchins's, 61.

Lesser Snow, 96, 193.

White-fronted, 193, 202.

Gorbunow, G., review of his 'Birds of Franz-Joseph Land,' 245.

Goshawk, American, 92.

Eastern, 194.

Grackle, Purple, 452.

Graham, Ritson, notice of his 'Changes in the Distribution of British Geese,' 379.

Grallaria flavirostris costaricensis,

Grayson, A. J., life of, 396-402.

Grebe, Crested, 137.

Holboell's, 201, 445.

Grebe, Horned, 201.

Mexican, 60.

Greenfinch, 180.

Greenland, birds of, 135, 381.

Greenway, James C., Jr., notice of his 'Birds from Northwest Yunnan,' 379.

Grey, Viscount, notice of his 'Canvas back Ducks in Northumberland,' 139.

Griscom, Ludlow, notes on the Havemeyer collection of Central American birds 297–308; notes on the collecting trip of M. Abbott Fraser in Sonora and Chihuahua for William Brewster, 54–58; notice of his 'New Birds from Honduras and Mexico,' 248; see also, Bangs, Outram.

Groebbels, Franz, review of his

'Der Vogel,' 246.

Grosbeak, Blue, 120, 445.

Eastern Blue, 124.

Pine, 192, 442.

Rose-breasted, 370, 373, 451.

Western Evening, 224.

Gross, Alfred O., notice of his 'Heath Hen Report,' 31-32, 139.

Guatemala, birds of, 120, 141, 429, 437.

Guillemot, Black, 204.

Guiraca caerulea caerulea, 124,

c. eurhyncha, 120.

Gull, Bonaparte's, 452.

Franklin's, 196.

Glaucous, 196.

Great Black-backed, 204, 216, 217, 368.

Herring, 103, 433.

Ivory, 204.

Kumlien's, 381.

Laughing, 230, 360.

Lesser Black-backed, 204.

Little, 204, 434.

Ring-billed, 103, 235, 369, 447.

'Gull, The,' reviewed, 145, 252. Gyps fulvus, 184. Gyrfalcon, 245. Black, 212. White, 97, 202.

Habroptila wallacei, 247. Hachisuka, Masauji, review of his 'Birds of the Philippine Islands,' 240.

Haematopus palliatus frazeri, 299. p. palliatus, 231.

Halcyon chelicuti, 142. Haliaeetus albicilla, 202.

Hallinan, Joseph E., obituary of,

Halmahera, birds of, 247.

Hamilton, W. J., Jr., a late nesting Waxwing in central New York, 114; the importance of stoneflies in the winter food of certain passerine birds, 373.

Haplornis, 143.

Harllee, H. L., Great Black-backed Gull on the South Carolina coast, 217.

Harris, R. D., nest-building and egg-laying of the Prairie Horned Lark, 108.

Harrisson, T. H., and Hollom, P. A. D., notice of their 'The Crested Grebe Enquiry,' 137.

Hartert, Ernst, notice of his 'Journeys to Marocco,' 459.

Harwell, C. A., see Beatty, M. E.
Havemeyer, Henry O., notes from Mountain Lake, Fla., 370.

Hawk and Owl Society, notice of, 156; notice of annual report, 457. Hawk, Broad-winged, 232, 355.

> Cooper's, 211. Duck, 233, 372, 379, 447. Eastern Pigeon, 369, 447. Eastern Sparrow, 203. Eastern Red-tailed, 356. Mexican Black, 61.

Hawk. Pigeon, 233.
Red-shouldered, 61.
Sennett's White-tailed, 61.
Western Pigeon, 356.

Hawks, 457.

Hays, Samuel P., Jr., see Reading, D. K.

Hedymeles ludoviciana, 370, 373, 451.

Heinrich, Gerd, review of his 'report on an expedition to Celebes and Halmahera,' 247.

Heleodytes brunneicapillus seri, 143.

Helmitherus vermivorus, 306.

Helodromas solitarius solitarius, 357.

Hendricks, G. Bartlett, Wilson's Phalarope, a new species for Alabama, 359; notes on the birds of Berkshire County, Mass., 366.

of Berkshire County, Mass., 366 Heron, Black-crowned Night, 93. Eastern Green, 61, 252, 351.

Great Blue, 206, 427, 452.

European, 201.

Little Blue, 232, 360.

Louisiana, 94, 428.

Snowy, 350.

Würdemann's, 370.

Yellow-crowned Night, 61, 350.

'Heron, The,' reviewed, 461.

Herpsilochmus rufomarginatus rufomarginatus, 323.

Herrick, Francis H., daily life of the American Eagle: early phase (concluded), 35-53.

Hersey, F. Seymore, 113; does the Robin ever lay white eggs, 113; notes on Tree Swallows and Bluebirds, 109.

Hesperiphona vespertina brooksi, 224.

Hiatt, Benjamin C., Avocets and Spoonbills on Merritts Island, Fla., 100.

Hicks, Lawrence E., a Troupial

collected at Columbus, Ohio, 224; the first appearance and spread of the breeding range of the European Starling in Ohio, 317–322; Brewster's Warbler in Ashtabula County, Ohio, 441; some breeding records for Ohio, 448.

Hicks, Lawrence E., and Chapman, Floyd B., notice of their 'statistical Survey of Ohio Winter Bird Life,' 380.

Hieraaëtus pennatus, 378. Himantopus mexicanus, 195.

Hirundo erythrogaster, 32, 439. rufula, 182.

rustica, 182. savignii, 182.

Hix, George E., notice of his 'The Birds of Prey for Boy Scouts,' 248.

Holland, William Jacob, obituary of, 260.

Holt, Ernest G., recent records of the Flamingo in Florida, 207; Blue Goose in Alabama, 209; a record colony of Yellow-crowned Night Herons, 350; breeding of Glossy Ibis in La., 351; Golden Eagle in Louisiana, 355; notice of his Ibises and Flamingoes in Florida, 460.

Honduras, birds of, 248.

Hood, Juliette Mouron, the Audubon of the Pacific; A. J. Grayson, 396-402.

Horizillas, 364.

Houbara undulata, 185.

Howard, Hildegarde, notice of her 'Eagles of the Rancho La Brea,' 137.

Hudson, George E., see Wiegers, Claude R.

Hummingbird, Ruby-throated, 369, 408-413.

Hydranassa tricolor ruficollis, 94, 428.

Hydrobates pelagicus, 201.

Hydroprogne caspia imperator, 230, 231.

Hylocichla fuscescens salicicola, 113. minima aliciae, 114. ustulata ustulata, 197.

u. swainsoni, 305, 372. Hylophilus ochraceiceps nelsoni, 305.

viridiflavus, 306. v. pallescens, 139.

Hypotaenidia philippensis pelewensis, 380.

Івіровнумсна, 146.

Ibis, Glossy, 351, 352.

Scarlet, 460.

Wood, 191, 193.

'Ibis, The,' reviewed, 146, 253, 382, 461.

Icterus icterus, 224.

Ictinia plumbea, 298.

Illinois Audubon Bulletin, notice of, 380.

Illinois, birds of, 371, 431.

India, birds of, 241, 456.

Indiana Audubon Yearbook, reviewed, 458.

Indiana, birds of, 225, 356, 370, 436,

International Ornithological Congress, 467.

Ionornis martinica, 99, 450.

'Iowa Bird Life,' reviewed, 145, 253, 461.

Iowa, birds of, 102, 124.

'Iowa Ornithologist,' full sets of,

Ixobrychus exilis erythromelas, 323.

JABIRU, 429.

Jabiru mycteria, 429.

Jackdaw, Common, 183.

Jacobs, J. Warren, most southern Pennsylvania breeding record of the Bobolink, 119.

Jaeger, Long-tailed, 204.

Parasitic, 196.

Pomarine, 196, 203.

Jamieson, William, notice of his 'Birds of Kelvin,' 380.

Japan, birds of, 136, 137, 144, 455.
Japan, review of the 'Hand-List of the Japanese Birds, Revised,' 136.

Jay, Canada, 111.

Jays, 245.

Jerusalem, birds of, 179-186.

Jespersen, J., notice of his 'Observations on the Oceanic Birds of the Pacific and Adjacent Waters,' 380.

Jewett, Stanley G., and Gabrielson, Ira N., the New Zealand Shearwater off the Columbia River, Oregon, 91.

Jones, F. M., Long-eared Owl nesting near Bristol, Va., 106.

Jones, Frank Morton, review of his 'Insect Coloration and the Relative Acceptability of Insects to Birds,' 377.

Jones, Gordon W., partial albinism in Cathartes aura septentrionalis, 431; an apparently unnoticed trait of the Whip-poor-will, 436.

Jourdain, F. C. R., on the palaearctic element in the A. O. U. 'Check-List' (4th edition), 201-204.

'Journal für Ornithologie,' reviewed, 148, 257, 384, 463.

Junco hyemalis hyemalis, 370, 449. oreganus couesi, 226. o. shufeldti, 123.

Junco, Carolina, 122.

Shufeldt's, 123, 226.

Slate-colored, 370, 374, 449, 452.

Kansas, birds of, 211, 449.

Kelso, John Edward Harry, obituary of, 154.

Kelso, Leon, Nyctale fasciata of Bertoni, 435; the forgotten Georgia Owl, 106; notice of his 'Synopsis of the genus Ciccaba,' 139; notice of his 'Note on the Genus Pulsatrix,' 460; see also, Cottam, Clarence.

Kendeigh, S. Charles, notice of his 'A Study of Merriam's Temperature Laws,' 130; notice of his 'Conservation of Bobwhite in Ohio,' 249.

Kestrel, European, 185.

Kingbird, Arkansas, 107, 197, 446. Eastern, 32, 236, 452.

Kingfisher, Amazon, 437.

Belted, 452.

Green, 437.

Ringed, 437.

Kinglet, Eastern Golden-crowned, 232, 246, 374.

Kirn, Albert J. B., Lead-colored Bush Tit near San Antonio, Tex., 221.

Kite, Red, 185.

Black, 185.

Swallow-tailed, 192, 194, 234.

Kittiwake, 191.

Atlantic, 102.

Red-legged, 216.

Kloss, C. Boden, notice of his 'Sumatran Birds in the Museum at Buitenzorg,' of his 'Birds of Billiton Island,' 139.

Knappen, Phoebe, feeding habits of the Turnstone, 99; birds eating sawfly larvae, 451; some bird enemies of Odonata, 452; see also, Cottam, Clarence.

Knot, American, 444.

Kobbe, Frederick William, eastern and western ducks, 95.

'Kocsag,' reviewed, 258.

Korea, birds of, 244.

Kuerzi, John and Richard, European Teal on Long Island, N. Y., 429.

Kuhn, Otto, notice of his 'Physiology of Feather Growth,' 380.

Kuroda, Nagamichi, notice of his 'Revision of the Types of Birds Described by Japanese Authors,' 137.

LATOUCHE, J. D. D., review of his 'Birds of Eastern China,' 244, 378.

Labrador, birds of, 127. Lalage banksiana, 380.

Lanius ludovicianus ludovicianus,

l. migrans, 366, 445.

Lark, Crested, 180.

Desert, 180.

Horned, 245.

Prairie Horned, 108, 438.

Larus argentatus smithsonianus, 103, 433.

atricilla, 230, 360.

delawarensis, 103, 235, 369, 447.

fuscus graellsi, 204.

hyperboreus, 196.

marinus, 204, 216, 217, 368.

minutus, 204, 434.

pipixcan, 196.

Laterallus, 142.

viridis brunnescens, 142.

'L'Oiseau' reviewed, 147, 256, 383.

Leopold, Aldo, review of his 'Game Management,' 376, personal mention, 468.

Leptotriccus sylviolus, 323.

Lewis, John B., the Loggerhead Shrike an addition to the Virginia avifauna, 364.

Ligurinus chloris, 180.

Limnodromus griseus griseus, 299, 367, 459.

Limnodromus g. hendersoni, 444,

g. fasciatus, 459.

g. scolopaceus, 195. scolopaceus, 459.

Limnothlypis swainsoni, 197.

Limosa fedoa, 446.

haemastica, 446. limosa limosa, 203.

Limpkin, 370.

Lincoln, Frederick C., Great Blue Heron in Cuba: a correction, 206; Eastern Mourning Dove migrating to Cuba, 218; Western Mourning Dove in central Mexico, 218.

Linnaeus, see, Lönnberg, Einar.

Linnet, European, 180.

Lloyd, Hoyes, notice of his 'Birds of Ottawa,' 140.

Lobipes lobatus, 203, 358, 372.

Long, W. S., White-winged Scoters in eastern Kansas, 211; notes from eastern Kansas, 449.

Longspur, Chestnut-collared, 123. Lapland, 124, 226, 245. Smith's, 371.

Lönnberg, Einar, notice of his 'Linnaeus' Notes on Rudbeck's Lectures on Birds,' 380.

Loon, Common, 201.

Red-throated, 230. Yellow-billed, 201.

Lophodytes cucullatus, 430.

Lophophanes dichrous kangrae, 146. Lophortyx gambeli pembertoni, 143.

Lophotriorchis kienerii, 378.

Löppenthin, Bernt, review of his 'Birds of Northeastern Greenland,' 135.

Louisiana, birds of, 226, 248, 350, 351, 353, 431, 439, 441.

Loverage, Arthur, see Bangs, Out-

Lowe, Willoughby P., review of his

'The Trail that is Always New,' 131.

Lowery, George H., Jr., Lapland Longspur: an addition to the Louisiana list, 226.

Loxia curvirostra percna, 198. leucoptera, 198.

McAtee, W. L., notice of his 'Need for Studies of Bird Control in California,' 140.

McBride, John M., unusual roosting of the Chuck-will's-widow, 107.

McIlhenny, E. A., Golden Eagle in Louisiana, 431; Barn Swallow breeding on the Gulf Coast of Mississippi, 439; Robins nesting in extreme southern Louisiana, 439.

Magpies, 245.

Maine, birds of, 220, 326, 353, 354. Malacolestes, 380.

Malacopteron magnum, 364.

Malacornis, 364.

Manacus manacus gutturosus, 324. Marden, Aaron, bird actions during eclipse of the sun, 125.

Mareca penelope, 354.

Martin, Crag, 182.

House, 459.

Purple, 110, 128, 452.

Sand, 182.

Maryland, birds of, 209, 216, 332, 367, 443.

Maslowski, K., notice of his 'Saw-Whet Owl in Cincinnati,' 249.

Massachusetts, birds of, 93, 96, 104, 121, 122, 128, 208, 212, 226, 327, 359, 364, 366, 426, 435, 445.

Mayr, Ernst, the type of Egretta brevipes, 206; notice of his, 'New Genera from Polynesia and Melanesia,' 380; 'New Birds from Micronesia,' 380; and 'Polynesian Flycatchers and a Revision of the Genus Clytorhynchus,' 380. Mayrornis, 143.

Meadowlark, Eastern, 452.

Western, 235.

Megaceryle torquata torquata, 437.

Melanerpes erythrocephalus, 367,

Melanitta deolandi, 211.

Melospiza georgiana, 373.

lincolni lincolni, 373.

melodia atlantica, 200.

m. melodia, 226.

Melzone rubricatum, 381.

Menegaux, A., review of his 'Les Oiseaux de France,' 242.

Mentocrex, 249.

Merganser, American, 141, 430.

Hooded, 430.

Red-breasted, 444, 445.

Mergus serrator, 444, 445.

Merlin, 203.

Mexico, birds of, 54-58, 143, 218,

248, 249, 381.

Meylan, Olivier, notice of his 'Avifauna of the Alps,' 141.

Michigan, birds of, 107.

Micrastur mirandollei, 303.

Micropalama himantopus, 195, 230, 371, 372.

'Migrant, The' reviewed, 145, 252, 461.

Migration, 30-34, 292, 455.

Miller, Alden H., notice of his 'Molt and Plumage of Phainopepla,' 249.

Miller, Loye, notice of his 'A Pleistocene Record of the Flammulated Screech Owl,' 380.

Milvago chimachima cordatus, 303.

Milvus ictinus, 185. migrans, 185.

Mimus gilvus, 125.

polyglottos polyglottos, 446.

Minnesota, birds of, 123.

Mionectes olivaceus olivaceus, 301.

Mirafra javanica beaulieui, 148.

Mississippi, birds of, 439.

Missouri, birds of, 107.

Mockingbird, Eastern, 125, 446, 452.

Momotus mexicanus vanrossemi, 141.

Monasa flavirostris, 304.

minor, 304.

morphoeus fidelis, 303.

m. grandior, 303.

m. pallescens, 303.

m. peruana, 303.

m. sclateri, 303.

nigra, 304. nigrifrons, 304.

Monk, Harry C., notice of his 'The Water Birds of Radnor Lake,

Tenn.,' 381.

Montana, birds of, 210, 362, 365.

Monticola cyanus, 183.

Moody, Arthur F., review of his 'Water Fowl and Game Birds in Captivity,' 133.

Moore, Robert T., notice of his 'New Motmot from Mexico,' 141; of his 'New Race of Aimophila carpalis,' 249.

Moris bassana, 201, 205, 231, 367. Morrison, John L., see Wiegers,

Claude R.

Motacilla alba, 179.

Mousley, Henry, bird actions during eclipse of the sun, 125; notice of his 'Notes on the Birds of Quebec,' 141; of his 'Home Life of the Northern Yellowthroat, and of the Goldfinch,' 249.

Mullen, Robert A., speed of racing pigeons, 374.

 Munro, J. A., notice of his 'Food of the American Merganser,' 141.
 Murie, Adolph, Chickadee occupies

Robin nest, 111.

Murphy, Charles B. G., see Rockefeller, J. Sterling.

Murphy, Robert Cushman, a probable record of the Eskimo Curlew at Montauk Point, N. Y., 101; notice of his 'August on Fire Island,' 460.

Murphy, Robert Cushman and Vogt, William, the Dovekie influx of 1932, 325–349.

Murray, J. J., Northern Yellowthroat at Lexington, Va., 118; additions to the Virginia avifauna since 1890, 190–200; American Egret in Western Virginia, 206; notes from western North Carolina, 232; teals resting on plowed ground, 354; winter notes from Back Bay Virginia and North Carolina, 368; a late nesting colony of Cliff Swallows at Lexington, Va., 437; notes from the Virginia mountains, 447. Murre, Atlantic, 204.

Brunnich's, 196, 217, 360, 435. 'Murrelet, The,' reviewed, 144.

Muscivora forficata, 373.

tyrannus, 125.

Mycteria americana, 193.

Myiochanes bracyhtarsus brachytarsus, 301.

Myiophobus fasciatus furfurosus 305.

Myrmeciza exul occidentalis, 304.

Myrmotherula surinamensis pacifica, 301.

NAUMBERG, ELSIE M. B., notice of her 'A Study of Zenaida auriculata,' 460.

'Nebraska Bird Review,' noticed, 253.

Nebraska, birds of, 221, 253.

Nelson, A. L., Golden-winged Warbler feeding on larvae of Talponia plummeriana, 440.

Nelson, E. W., notice of his 'New Subspecies of Colinus nigrogularis,' 141.

Neophron percnopterus, 184.

Neospingus speculiferus, 8. Netherlands Ornithological Club,

'Orgaan,' reviewed, 259.

Nettion crecca, 202, 429, 445. formosum, 97.

New Brunswick, birds of, 379.

New Hampshire, birds of, 212, 326, 354, 358.

New Jersey, birds of, 97, 100, 101, 229, 330, 352, 358, 437.

New York, birds of, 101, 114, 117, 123, 134, 220, 227, 328, 365, 429, 433, 434, 445, 460.

New Zealand, birds of, 243.

'News from the Bird Banders,' noticed, 145.

Nice, Margaret M., female Quail "Bobwhiting,"97; the Cowbird as bait for the capture of foster parents, 120.

Nichols, Charles K., Greater Snow Goose at Troy Meadows, N. J.,

Nicholson, Wray H., Roseate Spoonbill and White Pelican in Brevard Co., Florida, 429.

Niedrach, R. J. see Bailey, A. M., Nighthawk, 452.

Niltava smithi, 381.

davidi lychnis, 381. williamina, 381.

Nonpareil, 121.

North Carolina, birds of, 116, 117, 122, 225, 231, 232, 233, 332, 353, 368

Norton, Arthur H., the Long-billed Marsh Wren in Maine, 113; a black gyrfalcon from New Hampshire, 212; the Barn Owl in Maine, 220; the Pintail Duck wintering in Maine, 353; the European Widgeon again in Maine, 354.

Notharchus tectus subtectus, 300. Nova Scotia, birds of, 326, 379. Novipulsatrix, 460. Numenius americanus americanus, 215. borealis, 101.

Nuthatch, Red-breasted, 112, 232, 235.

Nyctale fasciata, 435.

Nyctanassa violacea violacea, 61.

Nycticorax nyctocorax hoactli, 303.

Nyroca affinis, 367, 448.

americana, 210, 445.

fuligula, 202.

OBERHOLSER, HARRY C., Robert Ridgway: a memorial appreciation, 159-169; notice of his 'New Birds from Oregon,' 141.

Oberholseria chlorura, 198.

Oceanites oceanicus, 193.

Oceanodroma leucorhoa leucorhoa, 426.

Odontophorus capistratus, 142, 250. loricatus, 250. veraguensis, 298.

smithians, 298.

Odum, Eugene P., a Brewster's Warbler in North Carolina, 116; spring occurrence of the Tennessee Warbler in North Carolina, 117.

Oedicnemus bistriatus bistriatus, 299.

Ohio, birds of, 116, 224, 234, 249, 317, 362, 380, 441, 443, 448.

Oklahoma, birds of, 373.

Old-squaw, 202.

Olor columbianus, 208.

Ontario, birds of, 94, 250.

'Oölogist, The,' reviewed, 145, 251, 461.

'Oologists' Record, The,' reviewed, 147, 255, 426.

Oort, E. D. von, notice of his 'Bird Banding at Leiden,' 250.

Ophrydornis, 364.

Oporornis agilis, 446.

philadelphia, 233.

Oregon, birds of, 91, 141, 216.

'Ornis Fennica,' reviewed, 259.

'Ornithologische Beobachter, Der,' reviewed, 148, 258, 464.

'Ornithologische Monatsberichte,' reviewed, 149, 257, 384, 463.

Ortalis guttata subaffinis, 142.

Osprey, 373, 450.

Otocoris alpestris praticola, 108, 437.

Otus trichopsis mesamericanus, 143.

Owl, Barn, 220.

Flammulated Screech, 380.

Georgia, 106.

Great Gray, 436.

Georgia, 106. Great Gray, 436. Great Horned, 220, 372. Long-eared, 105, 436. Saw-whet, 227, 249, 361, 368. Short-eared, 184, 436. Snowy, 245. Southern Little, 184.

Owls, 457.

Oystercatcher, American, 148, 231.

Pachyramphus albogriseus, 304.

Pacific, birds of the south, 244.

Pagolla wilsonia beldingi, 299.
Pagophila alba, 204.
Palmer, T. S., fiftieth stated meeting of the A. O. U., 64-79; report of the secretary, 80-84; report of the committee on biography and bibliography, 84-86; obituaries of John E. H. Kelso, 154; Solon R. Towne, 154; John Wiley Atkins, 153; John Dymond Jr., 260; Joseph E. Hallinen, 261; and Barton, W.

Palmgren, Pontius, review of his papers on animal ecology, 245.
Panama, birds of, 30, 125, 139, 301.
Pandion haliaetus carolinensis, 373, 450.

Paroquet, Carolina, 192. Partridge, Red-legged, 185.

Everman, 465.

Parus atricapillus kleinschmidti, 146. a. borealis, 246. cristatus, 246. major, 181.

Passer domesticus domesticus, 181, 451.

Passerculus princeps, 232. sandwichensis alaudinus, 250. s. campestris, 250.

s. savanna, 229, 236, 373, 443. Passerella iliaca iliaca, 365. Passerherbulus henslowi henslowi,

236, 373. h. susurrans, 225, 228, 230.

maritimus subs., 62. Passerina ciris ciris, 234. cyanea, 370.

Pearson, T. Gilbert, notice of his 'The Large Wading Birds,' 133; of his 'Crows, Magpies and Jays,' 245.

Pedioecetes phasianellus campestris, 432.

p. columbianus, 432.

p. kennicottii, 432.p. phasianellus, 250, 432.

Pelecanus erythrorhynchos, 205, 429, 458.

Pelican, White, 205, 429, 458. Pelidna alpina alpina, 203.

a. sakhalina, 444.

Pell, S. Morris, Gray Lag Goose in Massachusetts, 208.

Peltops montanus, 149.

Penelope argyrotis olivaceiceps, 142 jacquacu orienticola, 142.

Pennsylvania, birds of, 93, 97, 119, 205, 230, 331, 359, 428.

Penthestes atricapillus septentrionalis, 111.

Perisoreus c. canadensis, 111. Perisotriccus atricapillus, 301.

Perkins, S. E., III, notes from Dorchester, Md., 367; Indiana specimen of Great Gray Owl, 436. Pernis apivorus, 185.

Perry, George L., Seaside Sparrow at Revere, Mass., 121.

Peru, birds of, 460.

Peters, James L., Outram Bangs, 1863-1932, 265-274; notice of his 'New Genera and Subspecies of Rails,' 249; of his 'Laterallus antedates Creciscus,' 142.

Petrel, Black-capped, 193.

Audubon's, 193. Leach's, 426.

Wilson's, 91.

Petrochelidon albifrons albifrons, 300, 439.

Pewee, Wood, 174-178.

Phaeopus hudsonicus, 234, 372.

Phainopepla nitens, 249.

Phalacrocorax auritus auritus, 230, 234, 434, 444.

a. floridanus, 61.

Phalarope, Northern, 203, 358, 372. Red, 196, 230, 358.

Wilson's, 359, 446.

Phalaropus fulicarius, 196, 230.

Phasianus colchicus torquatus, 195. v. versicolor, 455.

Pheasant, Ring-necked, 195.

Pheugopedius rutilus hyperythrus,

Philippines, birds of the, 240.

Phillips, Charles L., the Claycolored Sparrow in Florida, 225.

Philomachus pugnax, 101, 195.

Philydor atricapillus, 323.

lichtensteini, 323.

Phloeotomus pileatus abieticola,

Phylloscartes ventralis flavovirens, 305.

Phylloscopus minor, 182.

Picoides arcticus, 228.

Pigeon, Carrier, 374.

Passenger, 138, 459.

Pike, Eugene R., Turkey Vulture at Chicago, 431.

Pilherodius pileatus, 303.

Pinarolestes, 380.

Pinicola enucleator leucura, 442.

Pipile cumanensis naumbergae, 142.

Pipilo erythrophthalmus erythrophthalmus, 233.

Pipit, American, 124.

Pipra erythrocephala erythrocephala, 304.

Piranga erythromelas, 367, 448. rubra rubra, 442.

Pisobia bairdi, 195, 230, 372, 433, 446.

fuscicollis, 195, 444.

melanotos, 369.

minutilla, 231, 368.

Plath, Karl, molt of the Nonpareil,

Platypsaris homochrous homochrous, 305.

Plautus impennis, 204.

Plectrophenax nivalis nivalis, 227.

Plegadis falcinellus falcinellus, 351.

Pleske, Th., dates in Pleske's 'Birds of the Tundra,' 151.

Plover, American Golden, 124.

Belted Piping, 191.

Black-bellied, 231, 371, 444.

Cuban Snowy, 234.

European Golden, 203.

Golden, 99, 359, 420-425.

Little Ringed, 203.

Mountain, 248

Piping, 215, 444, 448.

Ringed, 203.

Ring-necked, 444.

Upland, 228, 450.

Pluvialis apricaria apricaria, 203. dominica dominica, 124, 359.

Polioptila caerulea caerulea, 369.

melanura curtata, 143.

Polynesia, birds of, 380.

Polysticta stelleri, 202.

Pooecetes gramineus gramineus,

448.

Poole, Earl L., a Pennsylvania

specimen of the White Gyrfalcon, 97; water birds observed at Reading, Pa., 230.

Portenko, L., notice of his 'Avifauna of Novaya Z. mlaya,' 142; of his new subspecies of Palaearctic birds, 142.

Porto Rico, birds of, 7.

Porzana marginalis, 249. albicollis typhoeca, 249.

Prairie Chicken, 124, 191, 356.

Presnall, C. A., see Beatty, M. E. Psaltriparus minimus plumbeus, 221.

Pseudocalyptomena graueri, 23–29. Pseudociccaba, 139.

Ptarmigan, 245.

Pterodroma hasitata, 193.

Puffin, Atlantic, 204.

Puffinus griseus, 192.

l. lherminieri, 193.
 puffinus puffinus, 201.

Pulsatrix, 460. sharpei, 460.

Pumyea, Nelson D. W., Prairie Horned Lark breeding in central New Jersey, 437.

Pyrnonotus xanthopygos, 183. Pyrnuloxia sinuata texana, 63. Pyrnuloxia, Texas, 63.

QUEBEC, birds of, 250, 326. Querquedula cyanoptera, 210. discors, 354, 370.

RACEY, KENNETH, White Pelican in British Columbia, 205.

Rail, Clapper, 62.

Sora, 121.

Virginia, 62, 121, 369. Yellow, 121, 446.

Rallus limicola limicola, 62, 369. longirostris subs., 62.

Ramphocelus dimidiatus albirostris, 307.

d. dimidiatus, 306.

Ramphocelus d. isthmicus, 307. d. limatus, 308.

Rand, A. L., testicular asymetry in the Madagascar Coucal, 219.

Randall, T. E., notice of his 'Breeding Birds of the Athabasca District,' 249.

Raven, 253.

Northern, 447. White-necked, 62.

'Raven, The,' reviewed, 145, 461.

Reading, D. K. and Hayes, Samuel P. Jr., notes on the nesting and feeding of a pair of Blackthroated Green Warblers, 403– 407.

Rectes tenebrosus, 380.

Recurvirostra americana, 100, 195.

Redhead, 210, 445.

Redpoll, Common, 198, 365.

Hoary, 365.

Redstart, 441.

Black, 180.

Regulus satrapa satrapa, 232.

Reinarda squamata semota, 249, 381.

Rhinoptynx clamator clamator, 300.

Rhipidura lessoni, 143.

Rhode Island, birds of, 327.

Rich, Marc C., Brunnich's Murre on Staten Island, N. Y., 217; Great Crested Flycatcher in New Jersey in November, 221; a late migration of Fox Sparrows, 365.

Richardson, Hubert, notice of his 'Henslow's Sparrow at Toronto,' 250.

Richmond, Charles Wallace, In Memoriam, 1-22.

Richmondena cardinalis townsendi, 143.

Ridgway, Robert, a memorial appreciation, 159-169.

Riley, J. H., the names of two genera of Timaline birds, 363; notice of his, 'New Swift from Venezuela,' 249; of his 'Notes on Niltava smithi,' 381.

Rissa brevirostris, 216. tridactyla tridactyla, 102.

Risser, Alden F., Chestnut-collared Longspur in eastern Minnesota, 123.

Robin, Eastern, 113, 221, 236, 452. Southern, 199, 439.

Robin Redbreast, 181.

Rockefeller, J. Sterling, and Murphy, Charles B. G., the rediscovery of Calyptomena, 23–29.

Rook, 204, 459. Syrian, 183.

Rostrhamus sociabilis plumbeus, 298.

Rowan, William, notice of his 'Experiments in Bird Migration,' 249; correction to his paper on the Dowitcher, 152.

Ruff, 101, 195. Ruticilla titys, 180.

Rynchops nigra, 446.

'ST. Louis Bird Club Bulletin,' noticed, 146, 253.

Sakalin, birds of, 244. Sanderling, 203, 231, 452.

Sandpiper, Baird's, 195, 230, 372, 433, 446.

Bonaparte's, 245.

Buff-breasted, 195.

Curlew, 446.

Eastern Solitary, 62.

Least, 231, 359, 368.

Pectoral, 369.

Red-backed, 444.

Solitary, 357.

Stilt, 195, 230, 371, 372.

White-rumped, 195, 444.

Sapsucker, Yellow-bellied, 372, 437. Saucerottia niveoventer, 301.

Saunders, Aretas A., the Purple Gallinule in Connecticut, 99; the Black Tern in Connecticut in spring, 105.

Saunders, George B., Starlings wintering in central and western Texas, 440.

Saurothera vieilloti, 8.

Saxicola melanoleuca, 180.

lugens, 180.

Scardafella inca dialeucos, 300.

Scaup, Lesser, 448.

Schaanning, H. Th. L., notice of his 'Contribution to the Bird Fauna of East Greenland' and 'The Bird Fauna of Jan Mayen,' 381.

Sclerurus mexicanus pullus, 301.

Scoter, White-winged, 211.

Scotiaptex nebulosa nebulosa, 436. Seedeater, Sharpe's, 63.

Setaria, 364.

Setophaga ruticilla, 441.

Sharp, Barton L., nesting of the Prairie Horned Lark in Pennsylvania, 437.

Shaw, Tsen-Hwang, notice of his 'Notes on Passerine Birds from Szechwan,' 142.

Shearwater, Audubon's, 193.

Manx, 201.

New Zealand, 91.

Sooty, 192.

Shelford, V. E., review of his 'Life Zones and the Failure of Temperature Summing,' 130.

Shelley, Lewis O., Canada Jay in Cheshire County, N. H., 111; Song Sparrow in the stomach of a frog, 123; Blue-winged Teal breeding in Cheshire County, N. H., 354; some feeding habits of the Solitary Sandpiper, 357; a Willet in New Hampshire, 358.

Sheppard, R. W., notes on the birds of Jerusalem, 179–186.

Shoveller, 451.

Shrike, Loggerhead, 192, 364. Migrant, 366, 445. Siewert, Horst, review of his 'Storche,' 247.

Sirystes sibilator albogriseus, 305. Sitta canadensis, 112, 232, 235.

himalayensis whistleri, 148.

Skimmer, Black, 446.

Skutch, Alexander F., Blue Grosbeak breeding in Guatemala, 120; a male Kingfisher incubating at night, 437; male Woodpeckers incubating at night, 437.

Smaragdolanius pulchellus viridiceps, 305.

Smith, Wendell P., some observations on the nesting habits of the Barn Swallow, 414-419; see also, Fortner, H. C.

Somateria mollissima borealis, 245. m. dresseri, 93, 193.

spectabilis, 368. Song, 379, 453, 459.

'South Australian Ornithologist' reviewed, 147, 256, 463.

South Carolina, birds of, 99, 102, 104, 117, 208, 209, 210, 215, 217, 223, 226, 248, 332, 358, 360.

Sparrow, Acadian, 122.

Atlantic Song, 200.

Bachman's, 198, 365.

Cassin's, 62.

Chipping, 236.

Clay-colored, 225.

Eastern Henslow's, 225, 228, 230, 250, 373.

Eastern Lark, 121, 366, 446. Eastern Savannah, 229, 236,

443.

Eastern Song, 120, 123, 226, 374.

Eastern Vesper, 236, 448. English, 223, 451, 452.

Fox, 365.

Gambel's, 443.

Grasshopper, 373.

Harris's, 225.

House, 181.

Sparrow, Ipswich, 232.

Lincoln's 373.

Nelson's, 122, 198.

Savannah, 250, 373.

Seaside, 62, 121.

Swamp, 373.

Tree, 373.

Western Henslow's, 236.

White-throated, 448.

Spatula clypeata, 451.

Speirs, J. M., notice of his 'Notes on the Henslow Sparrow,' 250.

Sphyrapicus varius varius, 372, 437.

Spizaetus, 378.

Spizella pallida, 225.

Spodiornis barrilesensis, 139.

Spoonbill, Roseate, 100, 429.

Sporadinus maugaei, 8

Sporophila morelleti sharpei, 63.

Sprunt, Alexander, Jr., the Golden Plover again in South Carolina; the Magnolia Warbler on the South Carolina coast, 117; late nesting of the Carolina Junco, 122; the Whistling Swan in South Carolina, 208; third occurrence of the Brant in South Carolina, 209; the Cinnamon Teal in South Carolina, 210; winter range of the Long-billed Curlew and Piping Plover, 215; additional notes from the North Carolina mountains, 232; the Glossy Ibis in Georgia, 352; second occurrence of Northern Phalarope in South Carolina, 358.

Squatarola squatarola, 231, 371, 444.

Starling, 181, 197, 211, 221, 317–322, 355, 363, 369, 372, 373, 440, 452.

Stead, Edgar F., review of his 'Life Histories of New Zealand, Birds,' 243.

Steganopus tricolor, 359, 446.

Stelgidopteryx ruficollis, serripennis, 362.

Stercorarius longicaudus, 204. parasiticus, 196. pomerinus, 196, 203.

Sterna anathaetus melanoptera, 104, 105.

dougalli dougalli, 204, 434. forsteri, 104, 235, 368.

hirundo hirundo, 434, 444. Stevenson, James and Brodkorb, Pierce, bird notes from the

Chicago Area, 371. Stewart, Paul A., Gambel's Sparrow in Ohio, 443.

Stigmatopelia senegalensis, 293.

Stilt, Black-necked, 195.

Stone, Clarence F., winter occurrence of warblers in northern Steuben Co., N. Y., 117; Shufeldt's Junco in Steuben Co., N. Y., 123; notes from northern Steuben Co., N. Y., 227.

Stone, Witmer, In Memorium: Charles Wallace Richmond, 1-22; Blue Goose in Maryland, 209; obituary of Dr. William J. Holland, 260; Northern Phalarope on the New Jersey coast, 358.

Stoneham, H. F., notice of his 'Races of Halcyon chelicuti,' 142. Stoner, Dayton, review of his

'Ornithology of the Oneida Lake

Region,' 134.

Stoner, Emerson A., a collection showing food eaten by birds, 187– 189.

Stork, Black, 247. White, 186, 247.

Street, J. Fletcher, review of his 'Brief Bird Biographies,' 129.

Streptopelia damarensis, 293.

Strix georgica, 106.

rufipes chacoensis, 435. r. rufipes, 435.

Strix varia alleni, 106. v. georgica, 106.

Sturnella neglecta, 235.

Sturnus vulgaris vulgaris, 181, 197, 317–322, 369, 372, 373, 440.

Sula dactylatra dactylatra, 92.

Sumatra, birds of, 139.

Svihla, Arthur, an abnormally colored Western Evening Grosbeak, 224.

Swallow, Barn, 32, 236, 414-419, 439, 452.

Chimney, 182.

Cliff, 439.

European, 245.

Oriental, 181.

Red-rumped, 182.

Rough-winged, 362.

Tree, 109, 236, 452.

Swallows, 459.

Swan, Whistling, 92, 208, 371, 449. Whooper, 201.

Swann, H. Kirke, review of his 'A Monograph of the Birds of Prey,' 378.

Swarth, Harry S., personal mention, 468.

Swift, Chimney, 369.

European, 184.

White-bellied, 184.

Symplectes amaurocephalus analogus, 142.

Synallaxis albescens hypoleucus, 304.

Syrmaticus soemmerringii, 455.

TACHYPHONUS rufus, 300.

Taka-tsukasa, Prince, review of his 'The Birds of Nippon,' 244, 455.

Tanager, Summer, 442. Scarlet, 367, 448.

Tangavius aeneus involucratus, 306.

Taverner, P. A., Purple Martins gathering leaves, 110; notice of his 'A Study of the Canadian Savanna Sparrows,' 250; notice of his 'A Study of Kumlien's Gull,' 381.

Teal, Baikal, 97.

Blue-winged, 370, 354.

Cinnamon, 210.

European, 202, 429, 445.

Green-winged, 354.

Telmatodytes palustris dissaeptus, 112, 197, 235.

Tennessee, birds of, 379, 381.

Tephrocorys cinerea fuertesi, 139. Tern, American Caspian, 230, 231.

Arctic, 148.

Black, 105, 359.

Bridled, 104, 105.

Cabot's, 196.

Common, 359, 434, 444, 452.

Forster's, 104, 235, 368.

Gull-billed, 215.

Roseate, 204, 434.

Sandwich, 148.

White-winged, 204.

Test, Louis A. and Frederick H., notes from Tippecanoe Co., Indiana, 370.

Texas, birds of, 59-63, 92, 221, 250, 373, 440.

Textor cucullatus cucullatus, 450.

Thalasseus sandvicensis acuflavida, 196.

Thalassogeron chlororhynchos, 201. Thamnophilus, 460.

Thompson, Ben H., review of his 'History and Present Status of the Breeding Colonies of the White Pelican,' 458; see also, Wright, G. M.

Thrasher, Brown, 452.

Thryophilus longirostris longirostris, 324.

modestus elutus, 305.

rufalbus castanonotus, 305.

Thryothorus ludovicianus ludovicianus, 228, 445.

Thrush, Blue Rock, 183. Gray-cheeked, 114. Thrush, Olive-backed, 372. Russet-backed, 197. Willow, 113.

Thyellodroma bulleri, 91.

Ticehurst, Claud B., review of his 'History of the Birds of Suffolk,' 241.

Timalia poiocephala, 364.

Tit, British Willow, 146.

Great, 181.

Todd, W. E. C., the races of the White-eyed Vireo, 115; notice of his 'Seven New South American Birds,' 142; of his 'A New Weaver-bird from Cameroun,' 142; of his 'Critical Notes on the Cracidae,' 142; of his 'New Name for Odontophorus capistratus,' 250.

Todirostrum nigriceps, 300.

Tomkins, Ivan R., the Western Willet in winter in Georgia and South Carolina, 102; Ring-billed and Herring Gulls at the Savannah River mouth in July and August, 103; the Yellow-legs wintering in South Carolina, 215; an Eastern Snow Bunting from Georgia, 227.

Topsell, Edward, account of his 'Fowles of Heauen,' 275-283.

Totanus flavipes, 215.

melanoleucus, 231. Towhee, Green-tailed, 198. Red-eyed, 233.

Towne, Solon Rodney, obituary of,

Townsend, Charles W., winking of the Dovekie, 105; sight records of the Eskimo Curlew, 214; Brunnich's Murres destroyed by storm, 217; Shufeldt's Junco in the East, 226; Broad-winged Hawk and Starlings, 355.

Townsend, Charles W., and Allen

Francis H., Leach's Petrel breeding in Massachusetts, 426.

Townson, John, American Egret in eastern Ontario, 94.

Trautman, Milton B., notice of his 'Revised List of the Birds of Ohio,' 142; some recent Ohio records, 234.

Tringa solitaria solitaria, 62. s. cinnamomea, 299.

Troglodytes aedon parkmani, 197. musculus bonariae, 324.

Trogon ambiguus, 124.

strigilatus chionurus, 301. Trogon, Coppery-tailed, 124.

Troupial, 224.

Tryngites subruficollis, 195.

Turdus migratorius achrusterus, 199.

Turnstone, 99, 118, 367. European, 203. Ruddy, 231, 444, 452.

Tyler, Winsor M., the Starling as a mimic, 363.

Tympanuchus cupido americanus, 124, 356.

Tyrannulus elatus panamensis, 305. Tyrannus tyrannus, 32.

verticalis, 107, 197, 446. Tyrant, Fork-tailed, 125. Tyto alba pratincola, 220.

ULULA fasciata, 436.

Underdown, C. Eliot, notes on some birds from Santa Catharina, Brazil, 323.

University of Wisconsin chair of game management, 468.

Uria aalge aalge, 204.
lomvia lomvia, 196, 217, 360, 435.

Urner, Charles A., Avocets in New Jersey, 100; the Ruff in New Jersey, 101; the voice of the Golden Plover, 420-425. Urubitinga anthracina anthracina, 61.

VAN ROSSEM, A. J., notice of his 'Avifauna of Tiburon Island, Mexico,' 143; of his 'El Salvador Races of Dactylortyx thoracicus,' 143; of his 'Southern Race of the Spotted Screech Owl,' 143; of his 'A Northern Race of Melzone rubricatum,' 381.

van Someren, Vernon D., notice of his 'On the Nesting of the Blackbird,' 381.

Van Tyne, Josselyn, the Arkansas Kingbird in Michigan, 107; notice of his 'Some Birds of the Rio Grande Delta, 250; and 'A New Vireo from British Honduras,' 250.

Venezuela, birds of, 249. Vermivora bachmani, 197. chrysoptera, 116, 441. leucobronchialis, 116, 441. pinus, 116, 306, 441. peregrina, 117, 232.

Vermont, birds of, 456.

Vireo griseus, 115.

g. noveboracensis, 115.

g. maynardi, 115.

g. micrus, 115.

g. bermudianus, 116.

latimeri, 8, 9. olivacea, 451.

philadelphicus, 371.

solitarius notius, 250.

Vireo, Philadelphia, 371. Red-eyed, 451. White-eyed, 115.

Virginia, birds of, 105, 118, 189–200, 206, 332, 364, 365, 366, 368, 437, 439, 447, 448.

Virginia Ornithological Society, annual meeting of, 264.

'Vögel ferner Länder,' noticed, 150, 258. 'Vogelzug, Der,' reviewed, 149, 463. Vogt, William, notes from Jones Beach, N. Y., 445.

Vulture, Black, 194. Egyptian, 184.

Griffon, 184.

Turkey, 30–34, 212, 229, 431, 452.

WAGTAIL, White, 179.

Walsh, Lester L., summering Eiders off the Massachusetts coast, 93; notes from southern Arizona, 124.

Warbler, Bachman's, 197.

Blackburnian, 450.

Black-throated Green, 124, 369, 403-407.

Brewster's, 116, 192.

Blue-winged, 116.

Cairns', 200.

Cape May, 222, 233.

Cerulean, 450.

Chestnut-sided, 229.

Connecticut, 446.

Gray-backed, 182.

Golden-winged, 116, 441.

Magnolia, 117, 451.

Mourning, 117, 233.

Myrtle, 117.

Northern Parula, 199.

Pine, 117, 372.

Prairie, 233.

Rufous, 182.

Sycamore, 197.

Swainson's, 197.

Tennesee, 117, 232.

Wayne's, 200.

Western Palm, 198, 364.

Wilson's, 223. Yellow Palm, 232.

Yellow-throated, 370.

Washington, birds of, 138.

Water-Turkey, 61, 250.

Watson, C. Huber, early nesting of the Great Horned Owl, 220. Waxwing, Bohemian, 121, 227. Cedar, 114, 121.

Weaverbird, Yellow-mantled, 450. Weiser, Charles S., flying with a

flock of swans, 92.
Wellman, Gordon Boit, the courtship flight of the Red-breasted

Nuthatch, 112. West Virginia, birds of, 94, 121, 361, 443.

Weston, Francis M., Gull-billed Tern nesting at Pensacola, 215.

Wetmore, Alexander, status of the genus Geranoaetus, 212; a second specimen of the fossil bird Bathornis veredus, 213; the Western Pigeon Hawk in Florida, 356; recent records for Oklahoma and Texas, 373; records from the Dominican Republic, 450; extralimital record for Baird's Sandpiper, 433; notice of his 'The Generic Name Haplornis,' 143; notice of his 'Memoir of Robert Ridgway,' 381; review of his 'The Eagle, King of Birds, and his Kin,' 457; review of Swann's 'A Monograph of the Birds of Prey' edited by, 378.

Weydemeyer, Winton, occurrence and nesting of the Redhead in Montana, 210; nesting of the Rough-winged Swallow, in Montana, 362; the Hoary Redpoll in Montana, 365.

Weygandt, Cornelius, review of his 'A Passing America,' 128.

Whip-poor-will, 436.

White, F. B., birds and motor cars, 236.

Widgeon, European, 354.

Wiegers, Claude R., Hudson, G. E. and Morrison, J. L., first record of Starling for Nebraska, 221.

Willet, 358.

Western, 102.

Williams, Laidlaw, concerning the nesting of certain birds at Princeton, N. J., 229.

'Wilson Bulletin,' reviewed, 144, 251, 382, 460.

Wilsonia pusilla pusilla, 223.

Wisconsin, birds of, 206.

Wood, Harold B., Black Terns at Harrisburg, Pa., 359; flight speed of some birds, 452.

Wood, H. B. and Merrill, a Pennsylvania Black-crowned Night Heron Colony, 93.

Woodcock, 170, 236, 452.

Woodpecker, Arctic Three-toed, 228, 372.

> Guatemala Hairy, 437. Ivory-billed, 248. Northern Pileated, 199, 228. Red-headed, 367, 445, 452. Southern Downy, 199. Southern Hairy, 199. Truxillo, 437. White-billed Pileated, 437.

Wren, Carolina, 228, 445. Long-billed Marsh, 112, 452. Prairie Marsh, 197, 235. Short-billed Marsh, 235, 372. Western House, 197.

Wright, George M., Dixon, Joseph S., and Thompson, Ben H., review of their, 'A Preliminary Survey of Faunal Relations in National Parks,' 377. Wynne-Edwards, V. C., Brunnich's Murre feeding in fresh water, 360.

Xanthocephalus xanthocephalus, 198, 370, 446.

Xanthomyias virescens virescens, 324.

Xenops minutus minutus, 323. rutilus septentrionalis, 300.

Yellow-legs, Greater, 215, 231. Lesser, 215, 359.

Yellow-throat, Florida, 200. Maryland, 232.

Northern, 120, 200, 235, 249.

Youngworth, William, field notes from Sioux City, Iowa, 124.

Yungipicus scintilliceps kurodai, 146.

s. nagamichii, 146.

ZENAIDURA macroura carolinensis, 218, 284-296. m. marginella, 219.

Zimmer, J. T., notice of his 'Studies of Peruvian Birds,' and 'Central American Forms of the Musician Wren,' 250; of his 'The Formicarian Genus Thamnophilus,' 460.

Zonotrichia albicollis, 448. leucophrys gambeli, 443. querula, 226.

DATES OF ISSUE.

Vol. XLIX, No. 4—October 4, 1932.Vol. L, No. 1—January 4, 1933.Vol. L, No. 2—April 10, 1933.

Vol. L, No. 3-July 6, 1933.



